


# Data sheet

### **Dimensions**



5) After 3 cycles of charge and discharge under the conditions of 1), followed by the measurement 1~4 hours later.

Height

50.0 +0/ -1.0 mm

18 g

22 mΩ

(including tube)

Approx. Weight

(including tube)

at 1kHz 20°C <sub>5)</sub>

Approx. Internal Impedance

# Capacity

Nominal <sub>1)</sub>	840 mAh
Minimum <sub>1)</sub>	770 mAh

Size: AA

1)Single cell capacity under the following condition.

Charge: 77 mA x 16 hours, Discharge: 154 mA(E.V.=1.00 V) at 20 °C

### **General Specifications**

Nominal Voltage	Contra Opcomodición				
Charging Current x Time Fast Charge 2) 840 mA x about 1.1 hours  Charge Condition3) Fast Charge 2) 0 °C ~ +40 °C  Discharge Recommended 0 °C ~ +50 °C	Nominal Voltage			1.2 V	
Ambient Temp.  Charge Condition <sub>3)</sub> Fast Charge <sub>2)</sub> 0 °C ~ +40 °C  Discharge Recommended  0 °C ~ +50 °C	End Voltage		1.00 V		
Ambient Temp.  Condition <sub>3</sub>   Fast Charge <sub>2</sub>   0 °C ~ +40 °C    Discharge   Recommended   0 °C ~ +50 °C	Charging Current x Time		Fast Charge 2)	840 mA x about 1.1 hours	
Discharge Recommended 0 °C ~ ±50 °C	Ambient Temp.		Fast Charge 2)	0 °C ~ +40 °C	
			Recommended	0 °C ∼ +50 °C	
Relative Humidity $_{4)}$ 45 % $\sim$ 85 %	Relative Humidity 4)		45 % ~ 85 %		

<sup>2)</sup>Use recommended charging system.

### **Storage Conditions**


	Less than 30 days	−20 °C <b>~</b> +50 °C		
Ambient Temp.	Less than 90 days	−20 °C ~ +40 °C		
	Less than 1 year	−20 °C ~ +30 °C		
Relative Humidity 6)		45 % <b>~</b> 85 %		
0/11				

<sup>6)</sup>No water condensation.

### Nominal Charge Characteristics

# 1.8 1.7 1.6 1.5 0°C 25°C 40°C 1.5 0°C 25°C 40°C 1.1 1.0 Charge: 80mA x 16hours Ambient Temp.: 0, 25, 40°C 1.1 1.0

# Nominal Discharge Characteristics



- •Single cell performance and lifespan are greatly affected by usage and temperature conditions.
- •Test results vary depending on individual cells.

Charge Time (hours)

• Each values included in this material are intended to describe performance. They are not guaranteed.

Charge or discharge on outside the recommended temperature range may generate the battery degradation.

<sup>4)</sup>No water condensation.